



PRODUCT CATALOG


PRESSURE SENSITIVE ADHESIVE TAPE
FOR INDUSTRIAL & OFFICE APPLICATIONS



COMPANY PROFILE

Founded in 1973, Louis Adhesive Tapes was one of the first tape manufacturers in Thailand. We are now the largest producer of natural rubber adhesive Masking tape and OPP tape in Southeast Asia and the World's second largest producer of Cellulose tape.


Servicing customers in over 30 countries and maintaining a workforce of more than 500 people. Our corporate offices are centrally located in Bangkok and we proudly comply with the international standards of ISO 9001.



Louis Adhesive Tapes

1070 Soi Suanplu
South Sathorn Rd.
Bangkok Thailand 10120

Tel: +662 287 2100
Email: export@louistapes.com
Web: louistapes.com



INCORPORATED TECHNOLOGY



PAPER
SATURATION




ADHESIVE
COATING



CONVERTING



ADHESIVE
PRODUCTION



PRINTING



SOLVENT
DISTRILLATION



QUALITY
CONTROL



> PACKAGING

OPP Tape Rubber	7
OPP Tape Acrylic	8
Kraft Tape	9
Non-PE Kraft Tape	9
Printed OPP Tape	14



> STATIONERY

Cellulose Tape	5
Masking Tape	6
Cloth Tape	10
D/S Tissue Tape	11
D/S EVA White Foam Tape	11
Invisible Tape	12
OPP Stationery Tape	12
Sticker Label	12
Washi Tape	12



> HARDWARE

Masking Tape	6	PVC Floor Marking Tape	13
Cloth Tape	10	PE Warning Tape	13
D/S EVA White Foam Tape	11	Aluminium Foil Tape	13
D/S PE Black Foam Tape	11	PVC Insulating Tape	13
D/S Acrylic Tape	11		

INDEX

BEST CHOICE Cellulose Tape	5
BEST CHOICE Masking Tape	6
BEST CHOICE OPP Tape Rubber	7
BEST CHOICE OPP Tape Acrylic	8
Kraft Paper Tape	9
Cloth Tape	10
Double Sided Tape	11
Specialty Tape	12
Printed Tape	14



**BEST
CHOICE**



Easily Torn By Hand



Environmentally
Friendly



Multi - Purpose

GENERAL PROPERTY

Backing	Cellophane Film
Adhesive	Natural Rubber

FEATURE

- Highly transparent Cellulose film coated with a Natural Rubber adhesive
- Easily torn by hand
- Friendly to the environment

APPLICATION

- Great for sealing plastic or metal containers for protection from moisture
- Perfect for the Environmentally friendly office or warehouse
- Ideal for sealing, packing or mending



CODE	THICKNESS	GRADE
#110	46 um $\pm$ 10%	Stationery & General Purpose
#C258	46 um $\pm$ 10%	Packaging

STANDARD SIZING

CORE	1 IN	3 IN		
WIDTH	12 mm	18 mm	24 mm	48 mm
LENGTH	2.7 M	9 M	33 M	66 M


Contact our sales representative for other available size



POCKET SIZE ROLL

HANDROLL


GENERAL PROPERTY	
Backing	Crepe Paper
Adhesive	Natural Rubber
FEATURE	
• Removes cleanly from most surfaces without leaving adhesive residue • Specially formulated Natural Rubber adhesive • Contours effortlessly for even the most demanding of tasks	
APPLICATION	
• The perfect choice for masking, sealing, labelling or bundling • Suitable for a variety of painting applications • Excellent for automotive spray painting	



CODE	THICKNESS	TEMP REST	GRADE
#M355	130 um	100°C for 1 hr	General Purpose
#M358	140 um	100°C for 1 hr	Automotive
#M158	140 um	120°C for 1 hr	Premium Automotive
#M267	150 um	120°C for 1 hr	Industrial

STANDARD SIZING					
CORE	▶ 1 ¼ IN	3 IN			
WIDTH	▶ 6 mm	9mm	12 mm	18 mm	24mm
	36 mm	48 mm	60 mm	72 mm	
LENGTH	▶ 18 M	27 M	36 M	50 M	

Contact our sales representative for other available size



HANDROLL



MACHINE ROLL

GENERAL PROPERTY

Backing	BOPP
Adhesive	Natural Rubber

FEATURE

- Suitable for a broad range of temperature environments
- Bonds with a wide variety of material types
- Aggressive Natural Rubber adhesive, a fast & permanent seal every time

APPLICATION

- Perfect for heavy duty cartons
- Great for coolrooms & cold storage
- The best choice for recycled cartons

OPP PACKAGING TAPE (RUBBER)



CODE	THICKNESS	COLOR	
#323	43 ± 2 um	☐ Clear	☒ Tan
#325	45 ± 2 um	☐ Clear	☒ Tan
#328	48 ± 2 um	☐ Clear	☒ Brown
#340	62 ± 2 um	☐ Clear	☒ Brown
#300	48 ± 2 um	☒ Y ☒ O ☒ P ☒ R ☒ LG ☒ LB ☒ DB ☒ PU ☒ BL	

SIZING

CORE	▶ 3 IN				
WIDTH	▶ 24 mm	36 mm	48 mm	60 mm	72mm
LENGTH	▶ 40.5 M	45 M	50 M	75 M	90 M
	100 M	900 M	1000 M		

Contact our sales representative for other available size



MACHINE ROLL



HANDROLL

BEST
CHOICE

GENERAL PROPERTY

Backing	BOPP
Adhesive	Acrylic Water

FEATURE

- Great economical option
- Highly resistant to UV light & aging
- Superior durability and longevity on surfaces such as metal and glass

APPLICATION

- Perfect for ecommerce packaging
- Suitable for light to medium weight cartons
- Good choice for sealing & holding materials requiring UV resistance

OPP PACKAGING TAPE (ACRYLIC)



CODE	THICKNESS	COLOR	
#430	41 ± 2 um	☐ Clear	☒ Tan
#440	43 ± 2 um	☐ Clear	☒ Tan
#450	47 ± 2 um	☐ Clear	☒ Tan
#460	50 ± 2 um	☐ Clear	☒ Tan
#400	47 ± 2 um	☒ Y ☒ O ☒ P ☒ R ☒ LG ☒ LB ☒ DB ☒ PU ☒ BL	

SIZING

CORE	▶ 3 IN				
WIDTH	▶ 24 mm	36 mm	48 mm	60 mm	72mm
LENGTH	▶ 40.5 M	45 M	50 M	75 M	90 M
	100 M	900 M	1000 M		

Contact our sales representative for other available size



KRAFT TAPE
GENERAL PURPOSE

GENERAL PROPERTY	
Backing	Kraft Paper
Adhesive	Natural Rubber
FEATURE	
• Reliable Natural Rubber adhesive • Premium grade Kraft paper • Easily torn by hand & does not require a dispenser	
APPLICATION	
• Sealing medium to heavy duty cartons • Silk screening & picture framing • Suitable for coolroom & frozen food	



CODE		THICKNESS		FINISH	GRADE		
#K155		141 ± 10 um		Glossy	General Purpose		
SIZING							
CORE	▶	3 IN					
WIDTH	▶	24 mm	36 mm	48 mm	60 mm	72mm	
LENGTH	▶	22.5 M	27 M	36 M			

Contact our sales representative for other available size



GENERAL PROPERTY

Backing	Cloth
Adhesive	Natural Rubber

FEATURE

- Superior moisture & aging resistance
- Very strong and yet still easily torn by hand
- Aggressive Natural Rubber adhesive

APPLICATION

- General bundling, patching, repairing & mending
- Book binding & craft projects
- Suitable for heavy duty packaging




CODE	THICKNESS	COLOR															
#CL173	170 ± 10 um	(W)	(Y)			(R)		(LG)		(LB)	(DB)			(S)	(BL)		
#609	260 um	(W)	(Y)	(O)	(P)	(R)	(PU)	(LG)	(DG)	(LB)	(DB)	(BE)	(B)	(S)	(BL)		
#610	300 ± 10 um	(W)	(Y)	(O)	(P)	(R)	(PU)	(LG)	(DG)	(LB)	(DB)	(BE)	(B)	(S)	(BL)		

SIZING				
CORE	▶	1 IN	3 IN	
WIDTH	▶	24 mm	36 mm	48 mm
LENGTH	▶	2.7 M	7.2 M	

Contact our sales representative for other available size

D/S TISSUE TAPE



Tissue Backing

- Adheres well to plastic, metal & paper
- Hand tearable & easy to apply
- Suitable for mending & fixing applications

#7111 Rubber Solvent
#7151 Acrylic Solvent
#7161 Acrylic Water

W	mm	3	4	5	6	10	12	18	24	48
L	M	9 & 18								

D/S TISSUE TAPE FOR GARMENT INDUSTRY

- Strong Natural Rubber adhesive that will stick multiple times
- Easily torn by hand
- Great for garment stitching & mending



#7121

W	mm	12	18
L	M	45	

D/S CARPET TAPE



Mesh Backing

- Durable cloth backing
- Natural Rubber adhesive
- Option for temporary or permanent installation

W	mm	12	18	24
L	M	15		

#7139

#7149

Permanent Seal Temporary Seal

D/S EVA WHITE FOAM TAPE



#7114



Indoor Use Only

Also available in black color

W	mm	21 & 24							
L	M	.45	.9	1	2.7	3	5	9	

- Aggressive Natural Rubber adhesive
- Suitable for mounting light items, including mirrors & pictures
- High density foam with sound deadening properties

D/S PE BLACK FOAM TAPE

- High strength PE foam with Acrylic Solvent Adhesive
- Excellent humidity & UV resistance
- Great for outdoor applications; including automotive



W	mm	12
L	M	10



Suitable Outdoor

#7253

D/S ACRYLIC FOAM TAPE



#DA905



Extreme Outdoor



Moisture Resistance

- Outstanding performance outdoors
- Excellent humidity & UV resistance
- Perfect for automotive parts & repairs

W	mm	12
L	M	10

INVISIBLE TAPE



#IV855

Hangsell
w/ DispenserPaper
Box

- Transforms to clear once tape is applied
- Effortlessly written on with pen, pencil or marker
- Suitable for use on documents, books, bank notes & photos

W	mm	18
L	M	25 33

OPP BAG SEALING TAPE



#302



- Natural Rubber adhesive
- Cost effective BOPP film
- Great for Supermarket or Bakery bag sealing

W	mm	9
L	M	45

OPP STATIONERY TAPE

- Transparent BOPP film
- Available with either Natural Rubber or Acrylic adhesive
- Designed for home or office use



#310

Rubber

W	mm	12	18	24
L	M	40.5		

#410

Acrylic

W	mm	12	18	24
L	M	33 & 45		

WASHI TAPE

- Made from high quality Japanese rice paper
- Removes without leaving adhesive residue
- Suitable for even the most delicate masking jobs



#MW165

W	mm	18
L	M	18

STICKER LABEL



- Printable from a Laser or Inkjet printer
- Available in either Matte or Gloss
- Great for address labels, shipping labels & file folder labels

#ST825


Matte

#ST846

Glossy

Size	A4
Sheet/ Pck	50

SECURITY VOID TAPE



#PT733



- Removal reveals the words "OPEN VOID"
- Strong PET film & acrylic adhesive
- Provides security for your parcels

W	mm	12	18	24
L	M	20 & 50		

PVC FLOOR MARKING TAPE



#FM155 Rubber Solvent

- Made from strong & durable PVC film
- Waterproof & oil resistant
- Straightforward method of designating specific areas

W	mm	48
L	M	4.5 33

PE WARNING TAPE

- Made from high quality PE film
- Available in the colours of red & white or yellow & black
- Essential for highlighting hazardous areas



W	mm	50 & 70
L	M	200 500

#PE050

No Adhesive

ANTI-STATIC TAPE




#102

Anti-Static

- Suppresses static during unwinding and removal
- Biodegradable Cellulose film & Natural Rubber adhesive
- Ideal for general applications in static sensitive areas

W	mm	12	18	24	48
L	M	66			

ALUMINIUM FOIL TAPE



#AL765 Acrylic Solvent

#AL865 Acrylic Water

- Suitable for a wide range of temperatures
- Choice of Acrylic Water or Acrylic Solvent adhesives
- Great for refrigerator, air conditioner & water heater piping

W	mm	48
L	M	4.5 27

PVC INSULATING TAPE

- Strong performance up to 80°C
- Resistant to 600 volts
- Perfect for general insulation applications



W	mm	19
L	M	10

#809

PET BLUE TAPE



#PT144

- Strong holding power
- Removes without leaving residue
- Holds parts in place during transit – fridges, microwaves, printers

W	mm	48
L	M	50

BIO-DEGRADABLE TAPE



#C156

Bio-degradable
Product

- Premium grade Cellulose film, equals faster biodegradability
- Natural Rubber adhesive ensures a secure seal
- Perfect for the environmentally friendly office

W	mm	18
L	M	20

CARRY HANDLES

- Made from high strength Polyethylene Terephthalate (PET) film
- High performance Natural rubber adhesive
- Provides convenience when holding large or heavy items

Size	S	L
Pcs/ Roll	25	200

Reduce Plastic
Bag by 98%Based on weight of a large plastic
bag 75g vs. Carry Handle 1.6gStrap size
24mmx42cm

#PT155P

PRE-LAMINATED CARRY HANDLES



- Strong Polyethylene Terephthalate (PET) film
- For use with automatic machines
- Provides convenience when carrying large or heavy items

W	mm	24
L	M	6,500

#PT155

Did you know?

We use 5 trillion plastic bags... per year! That's 160,000 a second!

And over 700 a year for every single person on the planet. We can do better than that.

source: unep.org





FEATURE

- Customized printing to promote your brand or product
- Choice of either Natural Rubber or Acrylic adhesives
- Suitable for medium to heavy weight cartons

CODE	BACKING	ADHESIVE	COLOR	THICKNESS
#304	BOPP	Natural Rubber	Max 3 Color	48 um
#305	BOPP	Natural Rubber	Max 3 Color	62 um
#405	BOPP	Acrylic Water	Max 3 Color	47 um
#K165P	Kraft Paper	Natural Rubber	Max 3 Color	135 um
#MW165P	Washi Paper	Natural Rubber	Max 3 Color	80 um

Contact our sales representative for other available size



THANK YOU

export@louistapes.com

